
PacifiCOAnalytics
INDEPENDENT LABORATORY · BRITISH COLUMBIA

Certificate of Analysis
Analytical Testing Report


REPORT ID: PCA-2026-641047
SMP-2026-8D2C97
GENERATED: November 4, 2026

SAMPLE IDENTIFICATION

Peptide:	**GHK-CU 100**	Date Requested:	**October 28, 2026**
Client:	**Peptide Confidential**	Date Received:	**October 29, 2026**
Vendor:	**Not Specified**	Date Tested:	**November 3, 2026**
Lot Number:	**GH100DA-1006-102826**	Date Reported:	**November 4, 2026**
Batch Number:	**Not Specified**		



EXPECTED CONTENT	100 mg
MASS	106.33 mg
PURITY	98.79%
FILL ACCURACY	106.3%





Appearance	Blue lyophilized powder
Cap Color	Blue

ANALYTICAL RESULTS

	TEST	METHOD	RESULT	STATUS
1	**Peptide Identity**	FTIR-ATR	Sample infrared spectrum consistent with reference standard with excipients	CONFORMS
2	**Purity**	HILIC-HPLC-DAD	Main Peak 98.79% RT 19.219 min	CONFORMS
3	**Net Content**	HILIC-HPLC-DAD	106.33 mg net content quantified using calibrated HPLC against characterized standard	CONFORMS
4	**Orthogonal Verification**	CE-UV	Migration time and spectrum consistent with reference standard	CONFORMS
5	**Endotoxin**	LAL Gel Clot	Not tested per customer order	NOT TESTED
6	**Heavy Metals**	Colorimetric Screening	Not tested per customer order	NOT TESTED

NOTES

HILIC-HPLC-DAD SeQuant ZIC-HILIC A: 20 mM NH4CH3CO2 in H2O B: ACN 1.0 mL/min 90-40% B @ 40 C Full Spectrum of Main Peak

Prepared, reviewed and authorized for release by Pacific COA Analytics.
info@pacificoanalytics.ca

This Certificate of Analysis is provided for informational and research purposes only.

Digital Verification

PACIFICOANALYTICS INC.
COA
INDEPENDENT LABORATORY
VANCOUVER, CANADA